

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	22	(US-20020036604-\$ or US-20020057265-\$).did. or (US-4542497-\$ or US-4761780-\$ or US-4813038-\$ or US-4817084-\$ or US-4891803-\$ or US-4899335-\$ or US-5440553-\$ or US-5636210-\$ or US-5768270-\$ or US-5856977-\$ or US-5875190-\$ or US-5949778-\$ or US-6026092-\$ or US-6094417-\$ or US-6128292-\$ or US-6304243-\$ or US-6501757-\$ or US-6654354-\$ or US-6735219-\$ or US-6798747-\$). did.	US-PGPUB; USPAT	OR	ON	2006/02/04 20:24
L2	12	L1 and (output near3 buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/04 20:35
L3	2434	((output near3 buffer) near5 (parallel or trap))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/04 21:00
L4	1452	L3 and switch	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/04 20:38
L5	1049	L4 and (@ad<"20010901")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/04 21:52
L6	1049	L5 and switch	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/04 20:39
L7	278	((output near3 buffer) near5 (parallel or trap)) same switch	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/04 20:40
L8	200	L7 and (@ad<"20010901")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/04 21:07
L9	276	((output near3 buffer) near5 (parallel)) same switch	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/04 20:40
L10	5	((output near3 shared near4 buffer) near5 (parallel or trap))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/04 21:07

L11	455	((output near3 shared near4 buffer))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/04 21:07
L12	379	((output near3 shared near4 buffer)) and switch	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/04 21:07
L13	277	L12 and (@ad<"20010901")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/04 21:52
L14	690	(age or aging or aged) near5 buffer	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/04 21:54
L15	295	L14 and (@ad<"20010901")	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/04 21:53
L16	49	(age or aging or aged) near5 (cell or packet) near6 buffer	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/02/04 21:54

Sat, 4 Feb 2006, 10:10:45 PM EST

Edit an existing query or
compose a new query in the
Search Query Display.

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- #1 ((aging<in>metadata) <and> (buffer<in>metadata))<and>
((cell or packet)<in>metadata)
- #2 ((aging<in>metadata) <and> (buffer<in>metadata))<and>
((cell or packet)<in>metadata)
- #3 ((aging<in>metadata) <and> (buffer<in>metadata))<and>
((cell or packet)<in>metadata)
- #4 (((aging) and (buffer) and (destination) and (packet or cell) and
switch)<in>metadata)
- #5 (((aging) and (buffer) and (destination) and (packet or cell) and
switch)<in>metadata)
- #6 (((aging) and (buffer) and (destination) and (packet or cell) and
switch and (~~output contention~~))<in>metadata)
- #7 (((aging) and (buffer) and switch and (~~output contention~~))
<in>metadata)
- #8 (((aging) and (buffer) and (~~output contention~~))
<in>metadata)
- #9 (((buffer) and (~~output contention~~))<in>metadata)
- #10 ((((((buffer) and (~~output contention~~))<in>metadata))<AND>
(holding or aging<in>metadata))
- #11 ((((((buffer) and (~~output contention~~))<in>metadata))<AND>
(holding or aging<in>metadata))
- #12 ((((((buffer) and (~~output contention~~))<in>metadata))<AND>
(holding or aging<in>metadata))
- #13 ((((((buffer) and (~~output contention~~))<in>metadata))<AND>
(holding or aging<in>metadata))
- #14 ((((((buffer) and (~~output contention~~))<in>metadata))<AND>
(holding or aging<in>metadata))
- #15 ((((((buffer) and (~~output contention~~))<in>metadata))<AND>
(holding or aging<in>metadata))
- #16 ((((((buffer) and (~~output contention~~))<in>metadata))<AND>
(holding or aging<in>metadata))